

Photo 96: Inspection Site 108





Inspection Site 109

Table 96: Inspection Site 109 Summary

| Inspection Site 109 | |
|--------------------------|---|
| Inspection Type | Detailed soil pit |
| Inspection Date | 27/04/2015 |
| Paddock | 4 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Chromosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, mountain coolabah |
| Dominant Pasture Species | Chloris, QLD bluegrass, burr medic, creeping bluegrass |
| Dominant Weed Species | Mayne's pest, roly poly, liverseed grass, African boxthorn, prickly pear, wireweed, bindweed, hairy panic |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 109 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 97: Inspection Site 109



Inspection Site 110

Table 97: Inspection Site 110 Summary

| Inspection Site 110 | |
|-------------------------------|---|
| Inspection Type | Detailed soil pit |
| Inspection Date | 27/04/2015 |
| Paddock | 7 |
| Landform Element | Open drainage flat |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, poplar box |
| Dominant Pasture Species | Chloris, burr medic |
| Dominant Weed Species | Wireweed, roly poly, turnip weed, African boxthorn, Mayne's pest, liverseed grass, marshmallow, wild radish |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 98: Inspection Site 110



Inspection Site 111

Table 98: Inspection Site 111 Summary

| Inspection Site 111 | |
|-------------------------------|-----------------------------------|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 4 |
| Landform Element | Lower hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | Creeping bluegrass, burr medic |
| Dominant Weed Species | Wireweed, wild radish, deadnettle |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 99: Inspection Site 111



Inspection Site 112

Table 99: Inspection Site 112 Summary

| Inspection Site 112 | |
|-------------------------------|------------------------------|
| Inspection Type | Detailed soil pit |
| Inspection Date | 27/04/2015 |
| Paddock | 5 |
| Landform Element | Lower hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Brigalow, belah |
| Dominant Pasture Species | Chloris, pin rush |
| Dominant Weed Species | Roly poly, wireweed |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | |
| | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 100: Inspection Site 112





Inspection Site 114

Table 100: Inspection Site 114 Summary

| Inspection Site 114 | |
|--------------------------|---------------------------------|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 5 |
| Landform Element | Mid hillslope |
| Soil Type | Shallow Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | Chloris, red grass, panic grass |
| Dominant Weed Species | Mayne's pest |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 114 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 101: Inspection Site 114





Inspection Site 115

Table 101: Inspection Site 115 Summary

| Inspection Site 115 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | belah, acacia, weeping myall |
| Dominant Pasture Species | Chloris, Rhodes grass, silky sorghum |
| Dominant Weed Species | Roly poly, Mayne's pest, liverseed grass, corn gromwell |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 115 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 5: Inspection Site 115





Inspection Site 116

Table 102: Inspection Site 116 Summary

| Inspection Site 116 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Lower hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | Red grass, Rhodes grass |
| Dominant Weed Species | Turnip weed, liverseed grass, black thistle, balloon cotton bush |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 116 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 102: Inspection Site 116 Summary





Inspection Site 117

Table 103: Inspection Site 117 Summary

| Inspection Site 117 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Lower hillslope |
| Soil Type | Red Chromosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | Rhodes grass |
| Dominant Weed Species | Liverseed grass, hairy panic grass, black thistle, roly poly, milk thistle |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 117 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 103: Inspection Site 117





Inspection Site 118

Table 104: Inspection Site 118 Summary

| Inspection Site 118 | |
|--------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Lower hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Bottle tree |
| Dominant Pasture Species | Nil |
| Dominant Weed Species | Hairy panic grass, liverseed grass, black thistle, milk thistle, fleabane, turnip weed |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 118 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 104: Inspection Site 118





Inspection Site 119

Table 105: Inspection Site 119 Summary

| Inspection Site 119 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Poplar box |
| Dominant Pasture Species | Burr medic |
| Dominant Weed Species | Hairy panic grass, turnip weed, milk thistle, roly poly, fleabane |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 119 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 105: Inspection Site 119





Inspection Site 120

Table 106: Inspection Site 120 Summary

| Inspection Site 120 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | Nil |
| Dominant Weed Species | Hairy panic grass, liverseed grass, fleabane, turnip weed, roly poly, milk thistle, black thistle |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 120 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 106: Inspection Site 120





Inspection Site 121

Table 107: Inspection Site 121 Summary

| Inspection Site 121 | |
|--------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 27/04/2015 |
| Paddock | 8 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Nil |
| Dominant Pasture Species | Rhodes grass |
| Dominant Weed Species | Fleabane, turnip weed, roly poly, milk thistle, hairy panic grass, liverseed grass |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 121 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 107: Inspection Site 121





Inspection Site 122

Table 108: Inspection Site 122 Summary

| Inspection Site 122 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Liverseed grass, hairy panic, roly poly, cobblers peg, turnip weed, milk thistle, marshmallow, fleabane, wild radish, black thistle, Noogoora burr |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 122 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 108: Inspection Site 122





Inspection Site 123

Table 109: Inspection Site 123 Summary

| Inspection Site 123 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Flat terrace |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Liverseed grass, roly poly, cobblers peg, turnip weed, milk thistle, marshmallow, fleabane, wild radish, black thistle, horehound, Bathurst burr |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 123 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 109: Inspection Site 123





Inspection Site 124

Table 110: Inspection Site 124 Summary

| Inspection Site 124 | |
|--------------------------|------------------------------|
| Inspection Type | Soil pit observation |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Chenopod, poplar box, belah |
| Dominant Pasture Species | Nil |
| Dominant Weed Species | Roly poly |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 124 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 110: Inspection Site 124





Inspection Site 125

Table 111: Inspection Site 125 Summary

| Inspection Site 125 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Mid slope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Belah |
| Dominant Pasture Species | Nil |
| Dominant Weed Species | Roly poly, marshmallow, liverseed grass, turnip weed, milk thistle |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 125 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 111: Inspection Site 125 Summary





Inspection Site 126

Table 112: Inspection Site 126 Summary

| Inspection Site 126 | |
|--------------------------|------------------------------------|
| Inspection Type | Soil pit observation |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Flat terrace |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Poplar box, belah |
| Dominant Pasture Species | Spear grass, red grass, wire grass |
| Dominant Weed Species | Mayne's pest, African boxthorn |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 126 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 112: Inspection Site 126





Inspection Site 127

Table 113: Inspection Site 127 Summary

| Inspection Site 127 | |
|--------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Belah, poplar box, brigalow, acacia |
| Dominant Pasture Species | Rhodes grass, creeping bluegrass, pin rush |
| Dominant Weed Species | Balloon cotton bush, African boxthorn |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 127 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 113: Inspection Site 127





Inspection Site 128

Table 114: Inspection Site 128 Summary

| Inspection Site 128 | |
|--------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Belah, myall |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Roly poly, turnip weed, milk thistle, fleabane, marshmallow, Mayne's pest, liverseed grass |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 128 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 114: Inspection Site 128





Inspection Site 130

Table 115: Inspection Site 130 Summary

| Inspection Site 130 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Liverseed grass, hairy panic, roly poly, prickly pear, turnip weed, milk thistle, marshmallow, fleabane, Mayne's pest, blackberry nightshade, wild radish, fat hen, black thistle |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |



| Inspection Site 130 | |
|-------------------------------|--------------------------|
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 115: Inspection Site 130





Inspection Site 131

Table 116: Inspection Site 131 Summary

| Inspection Site 131 | |
|--------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 28/04/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Liverseed grass, hairy panic, roly poly, prickly pear, turnip weed, milk thistle, marshmallow, fleabane, Mayne's pest, blackberry nightshade, wild radish, fat hen |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |



| Inspection Site 131 | |
|-------------------------------|--------------------------|
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 116: Inspection Site 131



Inspection Site 139

Table 117: Inspection Site 139 Summary

| Inspection Site 139 | |
|-------------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 29/04/2015 |
| Paddock | 9 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, red grass, chloris |
| Dominant Weed Species | Mayne's pest, fleabane milk thistle, carrot weed, roly poly |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | |
| | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 117: Inspection Site 139





Inspection Site 140

Table 118: Inspection Site 140 Summary

| Inspection Site 140 | |
|--------------------------|---|
| Inspection Type | Detailed soil pit |
| Inspection Date | 29/04/2015 |
| Paddock | 9 |
| Landform Element | Open drainage flat |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | QLD bluegrass, chloris, burr medic |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 140 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 118: Inspection Site 140



Inspection Site 141

Table 119: Inspection Site 141 Summary

| Inspection Site 141 | |
|-------------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 29/04/2015 |
| Paddock | 9 |
| Landform Element | Open drainage flat |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | QLD bluegrass, chloris, burr medic |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 119: Inspection Site 141





Inspection Site 157

Table 120: Inspection Site 157 Summary

| Inspection Site 157 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, brigalow, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic |
| Dominant Weed Species | Roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle, prickly lettuce |
| Groundcover | 100% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |



| Inspection Site 157 | |
|-------------------------------|--------------------------|
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 120: Inspection Site 157 Summary



Inspection Site 158

Table 121: Inspection Site 158 Summary

| Inspection Site 158 | |
|-------------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 30/04/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, bottle tree, brigalow |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Roly poly, prickly pear, African boxthorn, liverseed grass, soursob, turnip weed, fleabane, black thistle, marshmallow, wild radish, blackberry nightshade, milk thistle, prickly lettuce, catheads |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 121: Inspection Site 158



Inspection Site 159

Table 122: Inspection Site 159 Summary

| Inspection Site 159 | |
|-------------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Upper hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle, horehound |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 122: Inspection Site 159



Inspection Site 160

Table 123: Inspection Site 160 Summary

| Inspection Site 160 | |
|-------------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Upper hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic, radish |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle, blueberry nightshade |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 123: Inspection Site 160



Inspection Site 161

Table 124: Inspection Site 161 Summary

| Inspection Site 161 | |
|-------------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Upper hillslope |
| Soil Type | Red Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 124: Inspection Site 161



Inspection Site 162

Table 125: Inspection Site 162 Summary

| Inspection Site 162 | |
|-------------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic, yellow wild tomato, vetch |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 125: Inspection Site 162



Inspection Site 163

Table 126: Inspection Site 163 Summary

| Inspection Site 163 | |
|-------------------------------|--|
| Inspection Type | Detailed soil pit |
| Inspection Date | 30/04/2015 |
| Paddock | 11 |
| Landform Element | Upper hillslope |
| Soil Type | Red Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, belah |
| Dominant Pasture Species | QLD bluegrass, burr medic, forage sorghum, vetch |
| Dominant Weed Species | Mayne's pest, roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, cobblers peg, hairy panic, milk thistle |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 126: Inspection Site 163





Inspection Site 166

Table 127: Inspection Site 166 Summary

| Inspection Site 166 | |
|--------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 30/04/2015 |
| Paddock | 6 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia |
| Dominant Pasture Species | QLD bluegrass, medic |
| Dominant Weed Species | Liverseed grass, turnip weed, black thistle, balloon cotton bush, roly poly, milk thistle, fleabane, wild radish, stinking roger |
| Groundcover | 50% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 166 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 127: Inspection Site 166



Inspection Site 170

Table 128: Inspection Site 170 Summary

| Inspection Site 170 | |
|-------------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 01/05/2015 |
| Paddock | 12 |
| Landform Element | Mid hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Nil |
| Dominant Pasture Species | QLD bluegrass |
| Dominant Weed Species | Fleabane, liverseed grass, African boxthorn, milk thistle, turnip weed, soursob |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 128: Inspection Site 170



Inspection Site 174

Table 129: Inspection Site 174 Summary

| Inspection Site 174 | |
|-------------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 01/05/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, poplar box |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Roly poly, prickly pear, African boxthorn, kidney weed, liverseed grass, soursob, turnip weed, fleabane, black thistle, marshmallow, wild radish, blackberry nightshade, milk thistle, prickly lettuce |
| Groundcover | 90% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 129: Inspection Site 174





Inspection Site 175

Table 130: Inspection Site 175 Summary

| Inspection Site 175 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 01/05/2015 |
| Paddock | 10 |
| Landform Element | Lower hillslope |
| Soil Type | Black Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Acacia, poplar box |
| Dominant Pasture Species | Lovegrass |
| Dominant Weed Species | Roly poly, prickly pear, African boxthorn, liverseed grass, soursob, turnip weed, fleabane, black thistle, marshmallow, wild radish, blackberry nightshade, milk thistle, prickly lettuce, Noogoora burr, cobbler's peg, catheads |
| Groundcover | 70% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |



| Inspection Site 175 | |
|-------------------------------|--------------------------|
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 130: Inspection Site 175





Inspection Site 190

Table 131: Inspection Site 190 Summary

| Inspection Site 190 | |
|--------------------------|---|
| Inspection Type | Soil pit observation |
| Inspection Date | 03/05/2015 |
| Paddock | 4 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Chenopod |
| Dominant Pasture Species | Burr medic, chloris, lamb's tongue |
| Dominant Weed Species | Roly poly, Mayne's pest, liverseed grass, soursob, balloon cotton bush, turnip weed |
| Groundcover | 60% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |



| Inspection Site 190 | |
|-------------------------------|--------------------------|
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 131: Inspection Site 190



Inspection Site 191

Table 132: Inspection Site 191 Summary

| Inspection Site 191 | |
|-------------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 03/05/2015 |
| Paddock | 4 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Chenopod |
| Dominant Pasture Species | Burr medic, chloris, lamb's tongue |
| Dominant Weed Species | Roly poly, Mayne's pest, liverseed grass, soursob, balloon cotton bush, turnip weed, bindweed, marshmallow |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 132: Inspection Site 191



Inspection Site 192

Table 133: Inspection Site 192 Summary

| Inspection Site 192 | |
|-------------------------------|--|
| Inspection Type | Soil pit observation |
| Inspection Date | 03/05/2015 |
| Paddock | 4 |
| Landform Element | Mid hillslope |
| Soil Type | Brown Vertosol |
| Current Land Use | Cattle grazing grass pasture |
| Dominant Vegetation Type | Chenopod |
| Dominant Pasture Species | Burr medic, chloris, lamb's tongue |
| Dominant Weed Species | Roly poly, Mayne's pest, liverseed grass, soursob, balloon cotton bush, turnip weed, bindweed, marshmallow |
| Groundcover | 80% |
| Historical Cultivation | |
| 2014 | No |
| 2015 | No |
| 2016 | No |
| 2017 | No |
| 2018 | No |
| 2019 | No |
| 2020 | No |
| 2021 | No |
| 2022 | No |
| 2023 | No |
| Assessed PALU | No |
| Field Cultivation Observation | Cultivated >10 years ago |



Photo 133: Inspection Site 192

